



# Tseeu Catalog

## SZ BOENLISHA INTERNATIONAL TRADE LIMITED

Website: <http://www.tseeu.com>  
 Address: Block B-502, Huafeng Creative World, Hangcheng Industrial Zone, Xixiang Town, Baoan District, Shenzhen, China. 518126.

Contact Person: Anna Chen Email: [anna@tseeu.com](mailto:anna@tseeu.com) skype: anna-tseeu


### AR Panoramic HD IP Cameras

<b>Product appearance and features</b>		<ul style="list-style-type: none"> <li>● Whole Plastic housing shell</li> <li>● support WIFI &amp; Lan&amp;AP</li> <li>● HD Fisheye lens, 360° AR panoramic view angle;</li> <li>● Support up to 128G TF card storage;</li> <li>● Provide fisheye correction mobile Phone APP support AR view and virtual electronic PTZ;</li> <li>● Two way audio(Built-in MIC and speakers);</li> <li>● 3pcs array infrared LEDs, night vision 20m;</li> <li>● Support Onvif</li> <li>● Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● Power and consumption : DC12V, 1A</li> </ul>		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"><b>TS-F22W</b></td> <td>5.0megapixel T31N+1/2.7" SC5238 CMOS.</td> </tr> </table>	<b>TS-F22W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.	
<b>TS-F22W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.			

### HD IP Bullet Cameras






<b>Product appearance and features</b>		<ul style="list-style-type: none"> <li>● Whole Metal housing shell</li> <li>● support WIFI &amp; Lan&amp;AP</li> <li>● support human detection</li> <li>● support up to 128G TF card;</li> <li>● Built-in MIC Built in Speaker</li> <li>● optional 2.8/3.6(Default)/6mm lens ;</li> <li>● waterproof IP66 ;</li> <li>● 4pcs Array infrared LEDs. 25m Night Vision ;</li> <li>● Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● add POE (+4usd)</li> </ul>				
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"><b>TS-B25W</b></td> <td>2.0megapixel. T31N+1/2.8" SC2335 CMOS.</td> </tr> <tr> <td><b>TS-B26W</b></td> <td>5.0megapixel T31N+1/2.7" SC5238 CMOS.</td> </tr> </table>	<b>TS-B25W</b>	2.0megapixel. T31N+1/2.8" SC2335 CMOS.	<b>TS-B26W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.	
<b>TS-B25W</b>	2.0megapixel. T31N+1/2.8" SC2335 CMOS.					
<b>TS-B26W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.					


<b>Product appearance and features</b>		<ul style="list-style-type: none"> <li>● Whole Metal housing shell</li> <li>● support WIFI &amp; Lan&amp;AP</li> <li>● support human detection</li> <li>● support up to 128G TF card;</li> <li>● Built-in MIC Built in Speaker</li> <li>● optional 2.8/3.6(Default)/6mm lens ;</li> <li>● waterproof IP66 ;</li> <li>● 6pcs Array infrared LEDs. 25m Night Vision ;</li> <li>● Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● add POE (+4usd)</li> </ul>						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"><b>TS-B13W</b></td> <td>2.0megapixel. T31N+1/2.8" SC2335 CMOS.</td> </tr> <tr> <td><b>TS-B15W</b></td> <td>5.0megapixel T31N+1/2.7" SC5238 CMOS.</td> </tr> <tr> <td><b>TS-B110W</b></td> <td>8.0megapixel SSC338Q+1/2.8" IMX415 CMOS.</td> </tr> </table>	<b>TS-B13W</b>	2.0megapixel. T31N+1/2.8" SC2335 CMOS.	<b>TS-B15W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.	<b>TS-B110W</b>	8.0megapixel SSC338Q+1/2.8" IMX415 CMOS.	
<b>TS-B13W</b>	2.0megapixel. T31N+1/2.8" SC2335 CMOS.							
<b>TS-B15W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.							
<b>TS-B110W</b>	8.0megapixel SSC338Q+1/2.8" IMX415 CMOS.							

<b>Product appearance and features</b>		<ul style="list-style-type: none"> <li>● support WIFI &amp; Lan&amp;AP</li> <li>● support human detection</li> <li>● support up to 128G TF card</li> <li>● Built-in MIC</li> <li>● optional 2.8/3.6(default)/6mm lens ;</li> <li>● 6pcs infrared LEDs. 20m Night Vision ;</li> <li>● Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● add POE (+4usd)</li> </ul>						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"><b>TS-D25W</b></td> <td>2.0megapixel. T31N+1/2.8" SC2335 CMOS.</td> </tr> <tr> <td><b>TS-D28W</b></td> <td>5.0megapixel T31N+1/2.7" SC5238 CMOS.</td> </tr> <tr> <td><b>TS-D210W</b></td> <td>8.0megapixel SSC338Q+1/2.8" IMX415 CMOS.</td> </tr> </table>	<b>TS-D25W</b>	2.0megapixel. T31N+1/2.8" SC2335 CMOS.	<b>TS-D28W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.	<b>TS-D210W</b>	8.0megapixel SSC338Q+1/2.8" IMX415 CMOS.	
<b>TS-D25W</b>	2.0megapixel. T31N+1/2.8" SC2335 CMOS.							
<b>TS-D28W</b>	5.0megapixel T31N+1/2.7" SC5238 CMOS.							
<b>TS-D210W</b>	8.0megapixel SSC338Q+1/2.8" IMX415 CMOS.							

### PTZ Cameras

<b>Product appearance and features</b>		<ul style="list-style-type: none"> <li>● Metal casing</li> <li>● Human detection, auto human auto tracking</li> <li>● support WIFI &amp; Lan&amp;AP</li> <li>● Support up to 128G TF card storage;</li> <li>● Pan tilt control, horizontal:355°&amp;vertical:90°;</li> <li>● Built-in Micphone</li> <li>● 30m Night Vision;</li> <li>● Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● add POE (+4usd)</li> </ul>				
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"><b>TS-D77W</b></td> <td>2.0megapixel. HI3516E+1/2.8" SONY307 starlight CMOS.2.7-13.5mm 5X optical zoom</td> </tr> <tr> <td><b>TS-D79W</b></td> <td>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS.2.7-13.5mm 5X optical zoom</td> </tr> </table>	<b>TS-D77W</b>	2.0megapixel. HI3516E+1/2.8" SONY307 starlight CMOS.2.7-13.5mm 5X optical zoom	<b>TS-D79W</b>	5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS.2.7-13.5mm 5X optical zoom	
<b>TS-D77W</b>	2.0megapixel. HI3516E+1/2.8" SONY307 starlight CMOS.2.7-13.5mm 5X optical zoom					
<b>TS-D79W</b>	5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS.2.7-13.5mm 5X optical zoom					

<p><b>Product appearance and features</b></p>			<ul style="list-style-type: none"> <li>●support WIFI &amp; Lan&amp;AP</li> <li>●support up to 128G TF card;</li> <li>●pan tilt rotation. horizontal:355°&amp;vertical:120°</li> <li>●Support audio(Built-in MIC)</li> <li>●waterproof IP66 ;</li> <li>●4pcs infrared LEDs. 50m Night Vision ;</li> <li>●Support mobile phone&amp;PC View</li> <li>●app:camhi</li> <li>● add POE (+4usd)</li> <li>●smart human detection, auto tracking</li> </ul>
	<p><b>TS-B81W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	
	<p><b>TS-B82W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	
	<p><b>TS-B83W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS. 5-50mm10X optical zoom</p>	
	<p><b>TS-B84W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS. 5-50mm 10X optical zoom</p>	
<p><b>Product appearance and features</b></p>			<ul style="list-style-type: none"> <li>●2.5 Inch size</li> <li>●smart human detection, auto tracking</li> <li>●support WIFI</li> <li>●Support up to 128G TF card storage;</li> <li>●Two Way Audio(Built-in MIC+Speaker);</li> <li>●Pan tilt control, horizontal:355°&amp;vertical:90°;</li> <li>●30m Night Vision;</li> <li>●Support mobile phone&amp;PC View</li> <li>●app: camhi</li> <li>● add POE (+4usd)</li> </ul>
	<p><b>TS-SD12W</b></p>	<p>2.0megapixel. T31N+1/2.8" SC2335 CMOS.Fixed lens</p>	
	<p><b>TS-SD13W</b></p>	<p>5.0megapixel T31N+1/2.7" SC5238 CMOS.Fixed lens</p>	
	<p><b>TS-SD14W</b></p>	<p>2.0megapixel. T31N+SC200A1,1/2.8"CMOS.2.7-13.5mm 5X optical zoom</p>	
	<p><b>TS-SD15W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	
<p><b>Product appearance and features</b></p>			<ul style="list-style-type: none"> <li>●3.5 Inch size Whole metal casing</li> <li>●support WIFI &amp; Lan&amp;AP</li> <li>●support up to 128G TF card;</li> <li>●pan tilt rotation. horizontal:355°&amp;vertical:120°</li> <li>●Support audio(Built-in MIC) ,include Speaker</li> <li>●waterproof IP66 ;</li> <li>●6pcs infrared LEDs. 50m Night Vision ;</li> <li>●Support mobile phone&amp;PC View</li> <li>●app:camhi</li> <li>● add POE (+4usd)</li> <li>●smart human detection, auto tracking</li> </ul>
	<p><b>TS-SD03W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	
	<p><b>TS-SD04W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	
	<p><b>TS-SD07W</b></p>	<p>8.0megapixel SSC338Q+1/2.8" SONY415 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	
	<p><b>TS-SD05W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS. 5-50mm10X optical zoom</p>	
	<p><b>TS-SD06W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS. 5-50mm 10X optical zoom</p>	
<p><b>Product appearance and features</b></p>			<ul style="list-style-type: none"> <li>● 4.5 Inch Size ABS+Metal casing</li> <li>●support WIFI &amp; Lan&amp;AP</li> <li>●support up to 128G TF card</li> <li>●pan tilt rotation. horizontal:355°&amp;vertical:90°</li> <li>●Built-in Micphone and speaker</li> <li>●waterproof IP66;</li> <li>●8pcs array infrared LEDs..80m Night Vision</li> <li>●Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● add POE (+5 usd)</li> <li>●smart human detection, auto tracking</li> </ul>
	<p><b>TS-SD71W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS. 5.3-96mm 30XZOOM</p>	
	<p><b>TS-SD72W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS. 5.3-96mm 30XZOOM</p>	
<p><b>Product appearance and features</b></p>			<ul style="list-style-type: none"> <li>● 5 Inch Size Metal casing</li> <li>●support WIFI &amp; Lan&amp;AP</li> <li>●support up to 128G TF card</li> <li>●pan tilt rotation. horizontal:355°&amp;vertical:90°</li> <li>●Built-in Micphone and speaker</li> <li>●waterproof IP66;</li> <li>●8pcs array infrared LEDs..80m Night Vision</li> <li>●Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● add POE (+5 usd)</li> <li>●smart human detection, auto tracking</li> </ul>
	<p><b>TS-SD43W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS. 4.9-47mm 30XZOOM</p>	
	<p><b>TS-SD44W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS. 4.7-94mm 30XZOOM</p>	
	<p><b>TS-SD45W</b></p>	<p>8.0megapixel SSC338Q+1/2.8" SONY415 starlight CMOS. 4.7-94mm 30XZOOM</p>	

<p><b>Product appearance and features</b></p>			<ul style="list-style-type: none"> <li>● 4 Inch Size Metal casing</li> <li>● support WIFI &amp; Lan&amp;AP</li> <li>● support up to 128G TF card</li> <li>● pan tilt rotation. horizontal:355°&amp;vertical:90°</li> <li>● Built-in Micphone,have audio out port</li> <li>● waterproof IP66 ;</li> <li>● 8pcs array infrared LEDs,.80m Night Vision</li> <li>● Support mobile phone&amp;PC View</li> <li>● app: camhi</li> <li>● add POE (+5 usd)</li> <li>● smart human detection, auto tracking</li> </ul>
	<p><b>TS-SD51W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS. 5.3-96mm 30XZOOM</p>	
	<p><b>TS-SD52W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS. 5.3-96mm 30XZOOM</p>	
	<p><b>TS-SD53W</b></p>	<p>2.0megapixel HI3516E+1/2.8" SONY307 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	
	<p><b>TS-SD54W</b></p>	<p>5.0megapixel HI3516E+1/2.8" SONY335 starlight CMOS.2.7-13.5mm 5X optical zoom</p>	

**Remarks:**

1. Supply the OEM ,ODM customer services.
2. Our products have passed CE, FCC,ROHS certifications.
3. We accept payment via T/T, Paypal, Western Union before shipment.
4. The warranty of all the products is one-year.
5. Our price terms is Ex-Works.

**Offer OEM, ODM Services, we are seeking for partner all over the world.**